


Appl. No. 10/693,733  
 Atty. Docket No. 8323MD  
 Amdt. dated February 7, 2005  
 Reply to Office Action of January 12, 2005  
 Customer No. 27752

# AMENDMENTS TO THE CLAIMS


1-18. (Cancelled)

19. (Currently Amended) A photo-labile pro-fragrance conjugate having the formula:




wherein said [photo-labile unit] is selected from the group consisting of:


i)



ii)



iii)



wherein each  $R^1$  is independently hydrogen, a unit which can substitute for hydrogen,  $C_1$ - $C_{12}$  substituted or unsubstituted hydrocarbonyl unit; said units which can substitute for hydrogen are selected from the group consisting of;


- i)  $-NHCOR^{30}$ ;
- ii)  $-COR^{30}$ ;
- iii)  $-COOR^{30}$ ;
- iv)  $-COCH=CH_2$ ;
- v)  $-C(=NH)NH_2$ ;
- vi)  $-N(R^{30})_2$ ;
- vii)  $-NHC_6H_5$ ;

Appl. No. 10/693,733  
 Atty. Docket No. 8323MD  
 Amdt. dated February 7, 2005  
 Reply to Office Action of January 12, 2005  
 Customer No. 27752


- viii)  $=\text{CHC}_6\text{H}_5$ ;
  - ix)  $-\text{CON}(\text{R}^{30})_2$ ;
  - x)  $-\text{CONHNH}_2$ ;
  - xi)  $-\text{NHCN}$ ;
  - xii)  $-\text{OCN}$ ;
  - xiii)  $-\text{CN}$ ;
  - xiv) F, Cl, Br, I, and mixtures thereof;
  - xv)  $=\text{O}$ ;
  - xvi)  $-\text{OR}^{30}$ ;
  - xvii)  $-\text{NHCHO}$ ;
  - xviii)  $-\text{OH}$ ;
  - xix)  $-\text{NHN}(\text{R}^{30})_2$ ;
  - xx)  $=\text{NR}^{30}$ ;
  - xxi)  $=\text{NOR}^{30}$ ;
  - xxii)  $-\text{NHOR}^{30}$ ;
  - xxiii)  $-\text{CNO}$ ;
  - xxiv)  $-\text{NCS}$ ;
  - xxv)  $=\text{C}(\text{R}^{30})_2$ ;
  - xxvi)  $-\text{SO}_3\text{M}$ ;
  - xxvii)  $-\text{OSO}_3\text{M}$ ;
  - xxviii)  $-\text{SCN}$ ;
  - xxix)  $-\text{P}(\text{O})\text{H}_2$ ;
  - xxx)  $-\text{PO}_2$ ;
  - xxxi)  $-\text{P}(\text{O})(\text{OH})_2$ ;
  - xxxii)  $-\text{SO}_2\text{NH}_2$ ;
  - xxxiii)  $-\text{SO}_2\text{R}^{30}$ ;
  - xxxiv)  $-\text{NO}_2$ ;
  - xxxv)  $-\text{CF}_3$ ,  $-\text{CCl}_3$ ,  $-\text{CBr}_3$ ;
  - xxxvi) and mixtures thereof;
- wherein  $\text{R}^{30}$  is hydrogen,  $\text{C}_1$ - $\text{C}_{20}$  linear or branched alkyl,  $\text{C}_6$ - $\text{C}_{20}$  aryl,  $\text{C}_7$ - $\text{C}_{20}$  alkylencaryl, and mixtures thereof; M is hydrogen, or a salt forming cation;
- each  $\text{R}^2$  is independently hydrogen,  $\text{C}_1$ - $\text{C}_{12}$  alkyl, and mixtures thereof; X is  $-\text{OH}$ ;  $\text{R}^{+2}$  is  $\text{H}$ ,  $\text{C}_1$ - $\text{C}_{12}$  alkyl, and mixtures thereof;
- B is selected from the group consisting of:

Appl. No. 10/693,733  
 Atty. Docket No. 8323MD  
 Amdt. dated February 7, 2005  
 Reply to Office Action of January 12, 2005  
 Customer No. 27752


i)



ii)



iii)



L units are  $-\text{OC}(\text{O})-$ ,  $-\text{NR}^3\text{C}(\text{O})-$ ,  $-\text{OC}(\text{R}^3\text{R}^4)-$ ,  $-\text{C}(\text{O})-$ , and mixtures thereof; n is 0 or 1;


the [pro-fragrance unit] has the formula:



wherein each each  $\text{R}^3$  and  $\text{R}^4$  is hydrogen;

$\text{G}^1$  is  $\text{C}_1$ - $\text{C}_{20}$  linear or branched hydrocarbyl, and  $-\text{Y}$ ;  $\text{G}^2$  is hydrogen; Y is selected from the group consisting of 2,6,6-trimethylcyclohex-2-enyl, 2,6,6-trimethylcyclohex-1-enyl, 2,6,6-trimethylcyclohex-1-enyl, and 2,6,6-trimethylcyclohex-3-enyl.

20. (Previously presented) A compound according to Claim 19 wherein said [photo-labile unit] has the formula:



wherein  $\text{R}^1$  is hydrogen, hydroxyl, and mixtures thereof.

21-24. (Canceled)

Appl. No. 10/693,733  
Atty. Docket No. 8323MD  
Amdt. dated February 7, 2005  
Reply to Office Action of January 12, 2005  
Customer No. 27752

25. (Previously Presented) A laundry detergent comprising:
- A) from about 0.001% by weight, of a photo-activated pro-fragrance conjugate according to Claim 19;
  - B) from about 10% by weight, of a deterative surfactant; and
  - C) the balance carriers and adjunct ingredients.

26 and 27 (Canceled)

28. (Previously Presented) A conjugate according to Claim 19 wherein  $R^1$  is hydrogen.

29. (Previously Presented) A conjugate according to Claim 19 wherein said  $R^1$  is one or more electron donating groups selected from the group consisting of hydroxy,  $C_1$ - $C_{12}$  linear or branched alkoxy,  $-N(R^{12})_2$  and mixtures thereof;  $R^{12}$  is H,  $C_1$ - $C_{12}$  alkyl, and mixtures thereof.


30. (Previously Presented) A conjugate according to Claim 29 wherein said  $R^1$  is hydroxy.

31. (Previously Presented) A conjugate according to Claim 29 wherein said  $R^1$  is  $-N(CH_3)_2$ .

32. (Previously Presented) A conjugate according to Claim 19 wherein  $R^2$  are each hydrogen.

33. (Cancelled)


34. (Previously Presented) A conjugate according to Claim 33 wherein Y is 2,6,6-trimethylcyclohex-2-enyl having the formula:




35. (Previously Presented) A conjugate according to Claim 33 wherein Y is 2,6,6-trimethylcyclohex-1-enyl having the formula:

Page 5 of 7


Appl. No. 10/693,733  
Atty. Docket No. 8323MD  
Amdt. dated February 7, 2005  
Reply to Office Action of January 12, 2005  
Customer No. 27752



36. (Previously Presented) A conjugate according to Claim 33 wherein Y is 2,6,6-trimethylcyclohex-1-enyl having the formula:



37. (Previously Presented) A conjugate according to Claim 33 wherein Y is 2,6,6-trimethylcyclohex-3-enyl having the formula:



38-41. (Canceled)